

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>A</b>				
1	ABON	40,660 - 40,700	T12018	
2		40,660 - 40,700	T12030	
3		433,050 - 434,790	4K AM HS	
4	Achenbach	40,660 - 40,700	T102497-40-5	
5		40,660 - 40,700	T397-40-2	
6		40,660 - 40,700	TX03-40-1/5	
7		40,660 - 40,700	TX02-40-2	
8		40,660 - 40,700	TX04-40-15	
9		40,660 - 40,700	RFKCO-40-5	
10	AET	40,660 - 40,700	TX 40	
11	AKM	40,660 - 40,700	T102497-40-5	
12		40,660 - 40,700	T397-40-2	
13	Allmatic	433,050 - 434,790	B.RO1WN	
14		433,050 - 434,790	B.RO2WN	
15		433,050 - 434,790	B.RO4WN	
16		433,050 - 434,790	AE SAW	
17	Alltronik	26,957 - 27,585	S206	
18		26,957 - 27,585	S215	
19		26,957 - 27,585	S235	
20		26,957 - 27,585	S 415	
21		40,660 - 40,700	S435-10	
22		40,660 - 40,700	S435-40	
23		40,660 - 40,700	S406	
24		40,660 - 40,700	S435B	
25		40,660 - 40,700	S 415	
26		433,050 - 434,790	S 406	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>A</b>				
27	ALUKON	868,000 - 869,200	Comfort 220	ab/up from/depuis/dal/ desde Software Version 7
28		868,000 - 869,200	MT87A1-2	ab/up from/depuis/dal/ desde Software Version 7
29		868,000 - 869,200	MT87A1-4	ab/up from/depuis/dal/ desde Software Version 7
30		868,000 - 869,200	MT87A1-1	ab/up from/depuis/dal/ desde Software Version 7
31	ALULUX	40,660 - 40,700	MT40A1 1-Kanal	
32		40,660 - 40,700	MT40A1 2-Kanal	
33		40,660 - 40,700	HS40A8	
34		433,050 - 434,790	Digital 302	
35		868,000 - 869,200	Digital 302	ab/up from/depuis/dal/ desde Software Version 7
36		868,000 - 869,200	Digital 304	ab/up from/depuis/dal/ desde Software Version 7
37		868,000 - 869,200	MT87A1 1-Kanal	ab/up from/depuis/dal/ desde Software Version 7
38		868,000 - 869,200	MT87A1 2-Kanal	ab/up from/depuis/dal/ desde Software Version 7
39		868,000 - 869,200	MT87A1 4-Kanal	ab/up from/depuis/dal/ desde Software Version 7
40	Alutec	40,660 - 40,700	T102497-40-5	
41		40,660 - 40,700	T397-40-2	
42		40,660 - 40,700	TX03-40-1/5	
43		40,660 - 40,700	TX02-40-2	
44		40,660 - 40,700	TX04-40-15	
45		40,660 - 40,700	RFKCO-40-5	
46	Ansonic	40,660 - 40,700	SF40 delta	
47		40,660 - 40,700	SA40 alpha	
48		433,050 - 434,790	SF433-1	
49		433,050 - 434,790	SA434 beta	
50		433,050 - 434,790	SF433-1	
51		868,000 - 869,2005	SA868-1	ab/up from/depuis/dal/ desde Software Version 7
52	Antec torautomatic	40,660 - 40,700	(BT40) 131500-10	
53		40,660 - 40,700	(BT40) 131500-20	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>A</b>				
54	Antec torautomatic	40,660 - 40,700	(BT40) 131500-30	
55		433,050 - 434,790	TX02-434-2	
56		868,000 - 869,200	TX03-868-4	ab/up from/depuis/dal/ desde Software Version 7
57	Aperto	26,957 - 27,585	T102497-27-5	
58		40,660 - 40,700	T102497-40-5	
59		40,660 - 40,700	T397-40-2	
60		40,660 - 40,700	TX03-40-1/5	
61		40,660 - 40,700	TX02-40-2	
62		40,660 - 40,700	TX04-40-15	
63		40,660 - 40,700	RFKCO-40-5	
64	Aprimatic	26,957 - 27,585	TG2M	
65		26,957 - 27,585	TG4M	
66		29,815 - 30,950	-	
67	ATEC	40,660 - 40,700	T102497-40-5	
68		40,660 - 40,700	T397-40-2	
69		40,660 - 40,700	TX03-40-1/5	
70		40,660 - 40,700	TX02-40-2	
71		40,660 - 40,700	TX04-40-15	
72		40,660 - 40,700	RFKCO-40-5	
73	Atodor	26,957 - 27,585	G 750 EML	
74		433,050 - 434,790	G4330E	
75		433,050 - 434,790	G4332E	
76		433,050 - 434,790	G4333E	
77		433,050 - 434,790	G4335E	
78	Attas / Dickert	26,957 - 27,585	HS DX27	
79	Autodoor	26,957 - 27,585	1A4443-2	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>B</b>				
80	B&D	433,050 - 434,790	62170	
81	Becker	26,957 - 27,585	1K	
82		26,957 - 27,585	2K	
83		26,957 - 27,585	3K	
84		40,660 - 40,700	1K Mini or Maxi	
85		40,660 - 40,700	4K Mini or Maxi	
86		40,660 - 40,700	1K	
87		40,660 - 40,700	2K	
88	BelFox	40,660 - 40,700	3K	
89		40,660 - 40,700	4K	
90		26,957 - 27,585	7120	
91		26,957 - 27,585	7121	
92		26,957 - 27,585	7122	
93		26,957 - 27,585	7123	
94		26,957 - 27,585	7330	
95		26,957 - 27,585	7331	
96		26,957 - 27,585	7350	
97		26,957 - 27,585	7130	
98	26,957 - 27,585	7131		
99	26,957 - 27,585	7132		
100	26,957 - 27,585	7133		
101	40,660 - 40,700	7120		
102	40,660 - 40,700	7121		
103	40,660 - 40,700	7122		
104	40,660 - 40,700	7123		
105	40,660 - 40,700	7430		
106	40,660 - 40,700	7431		

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>B</b>				
107	BelFox	40,660 - 40,700	7450	
108		40,660 - 40,700	7230	
109		40,660 - 40,700	7231	
110		40,660 - 40,700	7232	
111		40,660 - 40,700	7233	
112		433,050 - 434,790	7730	
113		433,050 - 434,790	7731	
114		433,050 - 434,790	7732	
115		433,050 - 434,790	7733	
116	BeluTec	40,660 - 40,700	T102497-40-5	
117		40,660 - 40,700	T397-40-2	
118		40,660 - 40,700	TX03-40-1/5	
119		40,660 - 40,700	TX02-40-2	
120		40,660 - 40,700	TX04-40-15	
121		40,660 - 40,700	RFKCO-40-5	
122	Beninca	29,815 - 30,950	LOT1E	
123		29,815 - 30,950	LOT2E	
124		29,815 - 30,950	LOT4E	
125		433,050 - 434,790	T2WV	
126		433,050 - 434,790	T4WV	
127		433,050 - 434,790	LO.T2WMR	
128		433,050 - 434,790	ROLLKEY ELEGANT	
129		433,050 - 434,790	ROLLKEY DELUXE	
130		433,050 - 434,790	LO.T2WMS	
131		433,050 - 434,790	LO.T2W	
132		433,050 - 434,790	LO.T4W	
133		433,050 - 434,790	T2WK	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>B</b>				
134	Beninca	433,050 - 434,790	T4WK	
135	Berlemann	26,957 - 27,585	INOVA 27 4k	ab/up from/depuis/dal/ desde Software Version 7
136		40,660 - 40,700	INOVA 40 4k	ab/up from/depuis/dal/ desde Software Version 7
137		433,050 - 434,790	INOVA 433 2K	ab/up from/depuis/dal/ desde Software Version 7
138		433,050 - 434,790	INOVA 433 4k	ab/up from/depuis/dal/ desde Software Version 7
139		433,050 - 434,790	INOVA 434 1k	ab/up from/depuis/dal/ desde Software Version 7
140		433,050 - 434,790	INOVA 434 4k	ab/up from/depuis/dal/ desde Software Version 7
141	Bernal	26,957 - 27,585	SM-1	
142		26,957 - 27,585	B1S27L	
143		26,957 - 27,585	02 0001 00	
144		26,957 - 27,585	BE27L	
145		26,957 - 27,585	-	
146		40,660 - 40,700	B1S40L	
147		40,660 - 40,700	BE40L	
148		433,050 - 434,790	B.RO1WN	
149		433,050 - 434,790	B.RO2WN	
150		433,050 - 434,790	B.RO4WN	
151		433,050 - 434,790	RC1	
152	Berner Torantriebe	26,957 - 27,585	SM1MD	
153		26,957 - 27,585	BE 27 L	
154		40,660 - 40,700	BE 40 L	
155		433,050 - 434,790	SKX1MD	
156		868,000 - 869,2006	RCBE868/4	ab/up from/depuis/dal/ desde Software Version 7
157	BFT	433,050 - 434,790	TEO-1	
158		433,050 - 434,790	TEO-2	
159		433,050 - 434,790	TEO-4	
160	Bosch	26,957 - 27,585	7 781 999 720	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>B</b>				
161	Bosch	26,957 - 27,585	7 781 999 721	
162		26,957 - 27,585	7 781 999 730	
163		26,957 - 27,585	7 781 999 728	
164		26,957 - 27,585	7 781 999 733	
165		26,957 - 27,585	7 781 999 736	
166		26,957 - 27,585	7 781 999 738	
167		26,957 - 27,585	7 781 999 736	
168		26,957 - 27,585	8 787 025 048	
169		26,957 - 27,585	7 781 999 734	
170		40,660 - 40,700	7 781 999 722	
171		40,660 - 40,700	7 781 999 731	
172		40,660 - 40,700	7 781 999 742	
173		40,660 - 40,700	7 781 999 744	
174		40,660 - 40,700	7 781 999 742	
175		40,660 - 40,700	7 781 999 744	
176		40,660 - 40,700	7 781 999 739	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>C</b>				
177	Came	26,957 - 27,585	-	
178		26,957 - 27,585	-	
179		29,815 - 30,950	-	
180		433,050 - 434,790	001TOP434	
181	Cardale doors	433,050 - 434,790	433-1C	
182		433,050 - 434,790	433-2C	
183		433,050 - 434,790	433-4C	
184		433,050 - 434,790	433-M1C	
185		433,050 - 434,790	433-4C II	
186		868,000 - 869,200	868-4C	ab/up from/depuis/dal/ desde Software Version 7
187	Cardin	26,957 - 27,585	S 738	
188		29,815 - 30,950	S 466 TX 2	
189		29,815 - 30,950	S 466 TX 4	
190		29,815 - 30,950	S 38 TX 2	
191		29,815 - 30,950	S 38 TX4	
192		29,815 - 30,950	S 48 TX 2	
193		29,815 - 30,950	S 48 TX 4	
194		433,050 - 434,790	S 476 TX 2	
195		433,050 - 434,790	S 476 TX 4	
196	CarTeck	433,050 - 434,790	Digital 212	
197		433,050 - 434,790	Digital 214	
198		433,050 - 434,790	FSH06	
199		433,050 - 434,790	FSH07	
200	Catnic	417,900 - 418,100	G 4180 E	
201		417,900 - 418,100	G 4183 E	
202		433,050 - 434,790	G 4330 E	
203		433,050 - 434,790	G 4332 E	
204		433,050 - 434,790	G 4333 E	



02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>C</b>				
205	Centurion deuren	433,050 - 434,790	433-1C	
206		433,050 - 434,790	433-2C	
207		433,050 - 434,790	433-4C	
208		433,050 - 434,790	433-M1C	
209		433,050 - 434,790	433-4C II	
210		433,050 - 434,790	TX433-3C	
211		433,050 - 434,790	TX433-4C	
212		868,000 - 869,200	868-4C	ab/up from/depuis/dal/ desde Software Version 7
213		868,000 - 869,200	TX868-3C	ab/up from/depuis/dal/ desde Software Version 7
214		868,000 - 869,200	TX868-4C	ab/up from/depuis/dal/ desde Software Version 7
215	Chamberlain	26,957 - 27,585	G 750 EML	
216		26,957 - 27,585	G 751 EML	
217		26,957 - 27,585	G 752 EML (2B)	
218		26,957 - 27,585	G 754 EML (4B)	
219		26,957 - 27,585	1A3232 1B	
220		26,957 - 27,585	1A3231 1B	
221		433,050 - 434,790	G 4330 EML	
222		433,050 - 434,790	G 4333 EML (3B)	
223		433,050 - 434,790	G 4335 EML	
224		433,050 - 434,790	G4330E	
225	Chamberlain Liftmaster	417,900 - 418,100	G 4180 EML	
226		417,900 - 418,100	G 4183 EML (3B)	
227		417,900 - 418,100	G 4185 EML	
228		417,900 - 418,100	4182E	
229	Clem SA	433,050 - 434,790	Digicode MH-1	
230	Crawford	26,957 - 27,585	T102497-27-5	
231		40,660 - 40,700	T102497-40-5	
232		40,660 - 40,700	T397-40-2	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmittitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>C</b>				
233	Crawford	40,660 - 40,700	TX03-40-1/5	
234		40,660 - 40,700	TX02-40-2	
235		40,660 - 40,700	TX04-40-15	
236		40,660 - 40,700	RFKCO-40-5	
237		433,050 - 434,790	K 022475	
238		433,050 - 434,790	K 022476	
239		433,050 - 434,790	K 022477	
240		433,050 - 434,790	T14637	
241		433,050 - 434,790	T14638	
242	Croci	433,050 - 434,790	TRASM 1	
243		433,050 - 434,790	RADIO.TX.2	
244		868,000 - 869,200	SF-TRASM	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>D</b>				
245	Delma	433,050 - 434,790	Joy	ab/up from/depuis/dal/ desde Software Version 7
246		433,050 - 434,790	King 2	
247		433,050 - 434,790	King 4	
248		433,050 - 434,790	Mizar	
249	Dickert	26,957 - 27,585	1 KHS DX27	
250		26,957 - 27,585	2 KHS DX27	
251		26,957 - 27,585	3 KHS DX27	
252		26,957 - 27,585	4 KHS DX27	
253		40,660 - 40,700	1 KHS DX40	
254		40,660 - 40,700	2 KHS DX40	
255		40,660 - 40,700	3 KHS DX40	
256		40,660 - 40,700	4 KHS DX40	
257		40,660 - 40,700	1K FHS	
258		40,660 - 40,700	4K FHS	
259		40,660 - 40,700	1K FHS20	
260		40,660 - 40,700	4K FHS20	
261		433,050 - 434,790	1K MAHS433	
262		433,050 - 434,790	4K MAHS433	
263	Diplomat	433,050 - 434,790	433-1C	
264		433,050 - 434,790	433-2C	
265		433,050 - 434,790	433-4C	
266		433,050 - 434,790	433-M1C	
267		433,050 - 434,790	433-4C II	
268		433,050 - 434,790	TX433-3C	
269		433,050 - 434,790	TX433-4C	
270	Diplomatdörrar	433,050 - 434,790	433-1C	
271		433,050 - 434,790	433-2C	
272		433,050 - 434,790	433-4C	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>D</b>				
273	Diplomatdörrar	433,050 - 434,790	433-M1C	
274		433,050 - 434,790	433-4C II	
275		433,050 - 434,790	TX433-3C	
276		433,050 - 434,790	TX433-4C	
277		868,000 - 869,200	868-4C	ab/up from/depuis/dal/ desde Software Version 7
278	Ditec	40,660 - 40,700	BIXAG4	
279		433,050 - 434,790	BIXLG4	
280		433,050 - 434,790	BIXLP2	
281		433,050 - 434,790	BIXLS2	
282	Domoferm	40,660 - 40,700	T102497-40-5	
283		40,660 - 40,700	T397-40-2	
284	Doormaster	26,957 - 27,585	G750ED	
285		26,957 - 27,585	G751ED	
286		433,050 - 434,790	G4330ED	
287	Dorma	433,050 - 434,790	HS 43-1E	
288	Dortech	26,957 - 27,585	Digital 101	
289		433,050 - 434,790	Digital 211	
290		433,050 - 434,790	Digital 212	
291		433,050 - 434,790	Digital 214	
292		868,000 - 869,200	Digital 302 / 64 173	ab/up from/depuis/dal/ desde Software Version 7
293		868,000 - 869,200	Digital 304 / 64 037	ab/up from/depuis/dal/ desde Software Version 7
294		868,000 - 869,200	Digital 313 / 64 180	ab/up from/depuis/dal/ desde Software Version 7

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>E</b>				
295	easy-tec / door-tec	26,957 - 27,585	1 KHS DX27	
296		26,957 - 27,585	2 KHS DX27	
297		26,957 - 27,585	3 KHS DX27	
298		26,957 - 27,585	4 KHS DX27	
299		26,957 - 27,585	LW27/40BS4N	
300		26,957 - 27,585	LW40 MS3/4	
301		29,815 - 30,950	BIO	
302		29,815 - 30,950	K	
303		40,660 - 40,700	1 KHS DX40	
304		40,660 - 40,700	2 KHS DX40	
305		40,660 - 40,700	3 KHS DX40	
306		40,660 - 40,700	4 KHS DX40	
307		40,660 - 40,700	1K FHS	
308		40,660 - 40,700	4K FHS	
309		40,660 - 40,700	1K FHS20	
310		40,660 - 40,700	4K FHS20	
311		40,660 - 40,700	40MIU/IK)*	
312		40,660 - 40,700	40HS98K/U)*	
313		40,660 - 40,700	40MS3/4)*	
314		40,660 - 40,700	MS4099U/K)*	
315		433,050 - 434,790	NEO1	
316		433,050 - 434,790	NEO2	
317		433,050 - 434,790	NEO4	
318		433,050 - 434,790	LW433MS2	
319		433,050 - 434,790	LW433HS98FU/FK	
320		433,050 - 434,790	SKX2 ..	
321		433,050 - 434,790	SKX3 ..	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>E</b>				
322	easy-tec / door-tec	433,050 - 434,790	SKX4 ..	
323	EcoStar	40,660 - 40,700	-	
324	Einhell	26,957 - 27,585	-	
325		26,957 - 27,585	F1024/1	
326		433,050 - 434,790	HS 434/6	
327	E-King	433,050 - 434,790	433-1C	
328		433,050 - 434,790	433-2C	
329		433,050 - 434,790	433-4C	
330		433,050 - 434,790	433-M1C	
331		433,050 - 434,790	433-4C II	
332		433,050 - 434,790	TX433-3C	
333		433,050 - 434,790	TX433-4C	
334		868,000 - 869,200	868-4C	ab/up from/depuis/dal/ desde Software Version 7
335		868,000 - 869,200	TX868-3C	ab/up from/depuis/dal/ desde Software Version 7
336		868,000 - 869,200	TX868-4C	ab/up from/depuis/dal/ desde Software Version 7
337	Eldat	433,050 - 434,790	FHS 06-1	
338		433,050 - 434,790	FHS 06-2	
339		433,050 - 434,790	FHS 06-4	
340		433,050 - 434,790	FHS 20-3	
341		433,050 - 434,790	FHS 20-4	
342		433,050 - 434,790	FHS 21-1	
343		433,050 - 434,790	FHS 21-2	
344		868,000 - 869,200	RT20	ab/up from/depuis/dal/ desde Software Version 7
345		868,000 - 869,200	RT21	ab/up from/depuis/dal/ desde Software Version 7
346	Elero	40,660 - 40,700	T102497-40-5	
347		40,660 - 40,700	T397-40-2	
348		40,660 - 40,700	TX03-40-1/5	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmittitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>E</b>				
349	Elero	40,660 - 40,700	TX02-40-2	
350		40,660 - 40,700	TX04-40-15	
351		40,660 - 40,700	RFKCO-40-5	
352		868,000 - 869,200	TX03-8-4	ab/up from/depuis/dal/ desde Software Version 7
353	Elka	26,957 - 27,585	SM 1	
354		433,050 - 434,790	SKX 1LC	
355		433,050 - 434,790	SKJ 2	
356		433,050 - 434,790	SK 1	
357		433,050 - 434,790	SK 2	
358		433,050 - 434,790	SK 3	
359		433,050 - 434,790	SK 4	
360		433,050 - 434,790	SKI 1	
361		433,050 - 434,790	SKI 2	
362		433,050 - 434,790	SKI 3	
363		433,050 - 434,790	SKI 4	
364		433,050 - 434,790	SKX 1	
365		433,050 - 434,790	SKX 2	
366		433,050 - 434,790	SKX 3	
367		433,050 - 434,790	SKX 4	
368	Elletrab	433,050 - 434,790	-	
369	EOS	40,660 - 40,700	T102497-40-5	
370		40,660 - 40,700	T397-40-2	
371		40,660 - 40,700	TX03-40-1/5	
372		40,660 - 40,700	TX02-40-2	
373		40,660 - 40,700	TX04-40-15	
374		40,660 - 40,700	RFKCO-40-5	
375	Erreka	40,660 - 40,700	TX03-40-1/5	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmittitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>E</b>				
376	Erreka	40,660 - 40,700	TX02-40-2	
377		40,660 - 40,700	TX04-40-15	
378		40,660 - 40,700	RFKCO-40-5	
379		433,050 - 434,790	RES1 N09	
380		433,050 - 434,790	RES2 N09	
381	ES-Tore	40,660 - 40,700	T102497-40-5	
382		40,660 - 40,700	T397-40-2	
383	Europe Doors	433,050 - 434,790	433-4C II	ab/up from/depuis/dal/ desde Software Version 7
384		868,000 - 869,200	TXM868-2C	ab/up from/depuis/dal/ desde Software Version 7
385		868,000 - 869,200	868-4C	ab/up from/depuis/dal/ desde Software Version 7
386		868,000 - 869,200	TX868-3C	ab/up from/depuis/dal/ desde Software Version 7
387		868,000 - 869,200	TX868-4C	ab/up from/depuis/dal/ desde Software Version 7



02.02.2006

## KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>F</b>				
388	FAAC	26,957 - 27,585	27 DS	
389		29,815 - 30,950	31 DS	
390		40,660 - 40,700	TMN 40SL	
391		40,660 - 40,700	EcoStar 2	
392		40,660 - 40,700	EcoStar 4	
393		40,660 - 40,700	HS2	
394		433,050 - 434,790	TM2 433 ESL	
395		433,050 - 434,790	TM4 433 ESL	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>G</b>				
396	Garador	26,957 - 27,585	DH 01	
397		26,957 - 27,585	DH 02	
398		26,957 - 27,585	DH 03	
399		26,957 - 27,585	DH 04	
400		40,660 - 40,700	EcoStar 2	
401		40,660 - 40,700	EcoStar 4	
402		40,660 - 40,700	HS2	
403		40,660 - 40,700	HS4	
404		40,660 - 40,700	HSM2	
405		40,660 - 40,700	HSM4	
406		40,660 - 40,700	HSE2	
407		40,660 - 40,700	HS16	
408		40,660 - 40,700	FCT10	
409		433,050 - 434,790	RSE2	
410		433,050 - 434,790	RS2	
411		433,050 - 434,790	RS4	
412		433,050 - 434,790	RSM2	
413		433,050 - 434,790	RSM4	
414	Garog	26,957 - 27,585	S466	
415	GEBA	433,050 - 434,790	RCA T4SP 433	
416	GFA-Elektromaten	26,957 - 27,585	M 512	
417		433,050 - 434,790	K 512	
418	Grötz	40,660 - 40,700	T102497-40-5	
419		40,660 - 40,700	T397-40-2	
420	Günther	40,660 - 40,700	T102497-40-5	
421		40,660 - 40,700	T397-40-2	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>H</b>				
422	Hacker	26,957 - 27,585	27AM	
423		40,660 - 40,700	40AM	
424		40,660 - 40,700	40FM	
425		433,050 - 434,790	SKRJ433	
426		433,050 - 434,790	SKR 433	
427		433,050 - 434,790	433TS	
428	Henderson	26,957 - 27,585	T102497-27-5	
429		40,660 - 40,700	T102497-40-5	
430		40,660 - 40,700	T397-40-2	
431		40,660 - 40,700	TX03-40-1/5	
432		40,660 - 40,700	TX02-40-2	
433		40,660 - 40,700	TX04-40-15	
434		40,660 - 40,700	T102497-27-5	
435		40,660 - 40,700	RFKCO-40-5	
436	Heroal	40,660 - 40,700	T102497-40-5	
437		40,660 - 40,700	T397-40-2	
438		40,660 - 40,700	TX03-40-1/5	
439		40,660 - 40,700	TX02-40-2	
440		40,660 - 40,700	TX04-40-15	
441		40,660 - 40,700	RFKCO-40-5	
442		433,050 - 434,790	S3-4	
443		433,050 - 434,790	Pocket-1K	
444		433,050 - 434,790	Pocket-2K	
445		433,050 - 434,790	Pocket-4K	
446	Hild-Tortechnik	40,660 - 40,700	T102497-40-5	
447		40,660 - 40,700	T397-40-2	
448	HL Torbau	40,660 - 40,700	T397-40-2	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>H</b>				
449	HL Torbau	40,660 - 40,700	T102497-40-5	
450		40,660 - 40,700	TX03-40-1/5	
451		40,660 - 40,700	TX02-40-2	
452		40,660 - 40,700	TX04-40-15	
453		40,660 - 40,700	RFKCO-40-5	
454	Hochtief	40,660 - 40,700	T102497-40-5	
455		40,660 - 40,700	T397-40-2	
456	Holder	40,660 - 40,700	T102497-40-5	
457		40,660 - 40,700	T397-40-2	
458		40,660 - 40,700	TX03-40-1/5	
459		40,660 - 40,700	TX02-40-2	
460		40,660 - 40,700	TX04-40-15	
461		40,660 - 40,700	RFKCO-40-5	
462	Hörmann	26,957 - 27,585	DH 01	
463		26,957 - 27,585	DH 02	
464		26,957 - 27,585	DH 03	
465		26,957 - 27,585	DH 04	
466		40,660 - 40,700	EcoStar 2	
467		40,660 - 40,700	EcoStar 4	
468		40,660 - 40,700	HS2*	
469		40,660 - 40,700	HS4*	
470		40,660 - 40,700	HSM2*	
471		40,660 - 40,700	HSM4*	
472		40,660 - 40,700	HSE2	
473		40,660 - 40,700	HS16	
474		40,660 - 40,700	FCT10	
475		40,660 - 40,700	S 850	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>H</b>				
476	Hörmann	433,050 - 434,790	RSE2	
477		433,050 - 434,790	RS2	
478		433,050 - 434,790	RS4	
479		433,050 - 434,790	RSM2	
480		433,050 - 434,790	RSM4	
481		868,000 - 869,200	HS2	ab/up from/depuis/dal/ desde Software Version 7
482		868,000 - 869,200	HS4	ab/up from/depuis/dal/ desde Software Version 7
483		868,000 - 869,200	HSM2	ab/up from/depuis/dal/ desde Software Version 7
484		868,000 - 869,200	HSM4	ab/up from/depuis/dal/ desde Software Version 7
485		868,000 - 869,200	HSE2	ab/up from/depuis/dal/ desde Software Version 7
	)* Gilt für Handsender mit grauen Tasten			
	Valid for transmitters with grey buttons			
	Jusque pur transmettiteur avec touches grises			
	Solo valido per trasmettitori pulsanti grigi			
	Es válido para emisores manuales con teclas grises			
486	Hütter	40,660 - 40,700	HS1	
487		40,660 - 40,700	HS2	
488		40,660 - 40,700	HS3	
489		40,660 - 40,700	HS4	
490		40,660 - 40,700	MS1	
491		40,660 - 40,700	MS2	
492		40,660 - 40,700	MS4	
493		40,660 - 40,700	SK1	
494		40,660 - 40,700	SK2	
495		40,660 - 40,700	SK3	
496		40,660 - 40,700	SK4	
497	Huth	40,660 - 40,700	T102497-40-5	
498		40,660 - 40,700	T397-40-2	

02.02.2006

## KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmittitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>I</b>				
499	inova	26,957 - 27,585	INOVA 27 4k	
500		40,660 - 40,700	INOVA 40 4k	
501		433,050 - 434,790	INOVA 433 2K	
502		433,050 - 434,790	INOVA 433 4k	
503		433,050 - 434,790	INOVA 434 1k	
504		433,050 - 434,790	INOVA 434 4k	
505	Intertechno	433,050 - 434,790	YCT-99	

02.02.2006

## KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

---

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmittitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>J</b>				
506	JCM-tech	433,050 - 434,790	NEO1	
507		433,050 - 434,790	NEO2	
508		433,050 - 434,790	NEO4	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>K</b>				
509	Kaba-Gilgen	40,660 - 40,700	BE40L	
510		40,660 - 40,700	T397-40-2	
511		40,660 - 40,700	TX03-40-1/5	
512		40,660 - 40,700	TX02-40-2	
513		40,660 - 40,700	RFKCO-40-5	
514		868,000 - 869,200	SFG2KG / Funk 9000 S2	
515		868,000 - 869,200	SFG4KG / Funk 9000 S4	
516	Köstner	40,660 - 40,700	T397-40-2	
517		40,660 - 40,700	T102497-40-5	
518		40,660 - 40,700	TX03-40-1/5	
519		40,660 - 40,700	TX02-40-2	
520		40,660 - 40,700	TX04-40-15	
521		40,660 - 40,700	RFKCO-40-5	
522	Kottmair & Hatef	40,660 - 40,700	T397-40-2	
523		40,660 - 40,700	T102497-40-5	
524		40,660 - 40,700	TX03-40-1/5	
525		40,660 - 40,700	TX02-40-2	
526		40,660 - 40,700	TX04-40-15	
527		40,660 - 40,700	RFKCO-40-5	
528	K-Plus	40,660 - 40,700	T102497-40-5	
529		40,660 - 40,700	T397-40-2	
530	Kreiller	40,660 - 40,700	T102497-40-5	
531		40,660 - 40,700	T397-40-2	
532		40,660 - 40,700	TX03-40-1/5	
533		40,660 - 40,700	TX02-40-2	
534		40,660 - 40,700	TX04-40-15	
535		40,660 - 40,700	RFKCO-40-5	



02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>L</b>				
536	Lakal	40,660 - 40,700	T102497-40-5	
537		40,660 - 40,700	T397-40-2	
538	Layh	40,660 - 40,700	T102497-40-5	
539		40,660 - 40,700	T397-40-2	
540		40,660 - 40,700	TX03-40-1/5	
541		40,660 - 40,700	TX02-40-2	
542		40,660 - 40,700	RFKCO-40-5	
543	Lift-Master	26,957 - 27,585	G3156	
544		26,957 - 27,585	G750EML	
545		26,957 - 27,585	G751EML	
546		26,957 - 27,585	G752EML(2B)	
547		26,957 - 27,585	G754EML(4B)	
548		26,957 - 27,585	1A3531	
549		26,957 - 27,585	750E	
550		26,957 - 27,585	G3272E	
551		26,957 - 27,585	G3271E(1B)	
552		40,660 - 40,700	1A3570	
553		417,900 - 418,100	G 4180 EML	
554		417,900 - 418,100	G 4183 E	
555		417,900 - 418,100	G 4185 E	
556		433,050 - 434,790	G 4330 E	
557		433,050 - 434,790	G 4332 E (2B)	
558		433,050 - 434,790	G 4333 E (3B)	
559		433,050 - 434,790	G 4335 E	
560	Lindpointner Torbau	40,660 - 40,700	T102497-40-5	
561		40,660 - 40,700	T397-40-2	
562		40,660 - 40,700	TX03-40-1/5	

02.02.2006

## KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

---

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmittitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>L</b>				
563	Lindpointner Torbau	40,660 - 40,700	TX02-40-2	
564		40,660 - 40,700	TX04-40-15	
565		40,660 - 40,700	RFKCO-40-5	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>M</b>				
566	Marantec	26,957 - 27,585	Digital 101	
567		433,050 - 434,790	Digital 211	
568		433,050 - 434,790	Digital 212	
569		433,050 - 434,790	Digital 214	
570		433,050 - 434,790	Digital 302 / 64176	
571		433,050 - 434,790	Digital 304 / 64133	
572		433,050 - 434,790	Digital 314 / 64183	
573		868,000 - 869,200	Digital 302 / 64 173	ab/up from/depuis/dal/ desde Software Version 7
574		868,000 - 869,200	Digital 304 / 64 037	ab/up from/depuis/dal/ desde Software Version 7
575		868,000 - 869,200	Digital 313 / 64 180	ab/up from/depuis/dal/ desde Software Version 7
576		868,000 - 869,200	Digital 302 / 64 173	ab/up from/depuis/dal/ desde Software Version 7
577		868,000 - 869,200	Digital 304 / 64 037	ab/up from/depuis/dal/ desde Software Version 7
578		868,000 - 869,200	Digital 313 / 64 180	ab/up from/depuis/dal/ desde Software Version 7
579	Meier	40,660 - 40,700	T397-40-2	
580		40,660 - 40,700	T102497-40-5	
581		40,660 - 40,700	TX03-40-1/5	
582		40,660 - 40,700	TX02-40-2	
583		40,660 - 40,700	TX04-40-15	
584	Meissner	433,050 - 434,790	Pocket-1/4	
585	Memminger Torbau	40,660 - 40,700	T397-40-2	
586		40,660 - 40,700	T102497-40-5	
587		40,660 - 40,700	TX03-40-1/5	
588		40,660 - 40,700	TX02-40-2	
589		40,660 - 40,700	TX04-40-15	
590		40,660 - 40,700	RFKCO-40-5	
591	Merlin	26,957 - 27,585	M872	
592		26,957 - 27,585	M874	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>M</b>				
593	Merlin	40,660 - 40,700	M802	
594		40,660 - 40,700	M804	
595		433,050 - 434,790	M832	
596		433,050 - 434,790	M834	
597		433,050 - 434,790	M842	
598		433,050 - 434,790	M844	
599	Mewald	26,957 - 27,585	G750E	
600		26,957 - 27,585	G751E	
601		26,957 - 27,585	G752E	
602		26,957 - 27,585	G754E	
603		433,050 - 434,790	G4330E	
604		433,050 - 434,790	G4333E	
605		433,050 - 434,790	G4335E	
606	Müller	40,660 - 40,700	T102497-40-5	
607		40,660 - 40,700	T397-40-2	
608		40,660 - 40,700	TX03-40-1/5	
609		40,660 - 40,700	TX02-40-2	
610		40,660 - 40,700	TX04-40-15	
611		40,660 - 40,700	RFKCO-40-5	
612	MULTI CODE	40,660 - 40,700	3079-12	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>N</b>				
613	Nice	29,815 - 30,950	BIO	
614		29,815 - 30,950	K	
615	Normstahl	40,660 - 40,700	T12018	
616		40,660 - 40,700	T12030	
617		40,660 - 40,700	T90180	
618		40,660 - 40,700	T90267	
619		433,050 - 434,790	T14435	
620		433,050 - 434,790	T14429	
621	Novoferm	40,660 - 40,700	T102497-40-5	
622		433,050 - 434,790	Mini-Novotron 302	
623		433,050 - 434,790	Mini-Novotron 304	
624		433,050 - 434,790	Mini-Novotron 401	
625		433,050 - 434,790	Mini-Novotron 404	
626		433,050 - 434,790	Micro-Novotron 312	
627		433,050 - 434,790	Novotron 202 MB	
628		433,050 - 434,790	HS 43-1E	
629	Novotecnica)*	26,957 - 27,585	BIT QET1	
630		26,957 - 27,585	BIT QET4	
631		26,957 - 27,585	BIT E1	
632		29,815 - 30,950	BIT QRT1	
633		29,815 - 30,950	BIT QRT2+2	
634		29,815 - 30,950	BIT QRT4	
635		29,815 - 30,950	BIT V1	
636		29,815 - 30,950	BIT V2	
637		29,815 - 30,950	BIT VT1	
638		29,815 - 30,950	BIT VT4	
639		40,660 - 40,700	BIX A1	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmittitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>N</b>				
640	Novotecnica)*	40,660 - 40,700	BIX A2	
641		40,660 - 40,700	BIX A4	
	)* Zum Anlernen mehrfach die Handsendertaste betätigen Multiple button pushes necessary for training Pression multiple est nécessaire pour la programmation Per la programmazione sono necessarie pressione multiple dei tasti Para aprender pulse varias veces la tecla de la emisora manual			
642	NOW	40,660 - 40,700	T102497-40-5	
643		40,660 - 40,700	T397-40-2	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>P</b>				
644	Peters & Peters	40,660 - 40,700	T102497-40-5	
645		40,660 - 40,700	T397-40-2	
646	Pfullendorfer	26,957 - 27,585	SM1	
647		26,957 - 27,585	SM2	
648		26,957 - 27,585	SM3	
649		26,957 - 27,585	SM4	
650		26,957 - 27,585	SM1MD	
651		26,957 - 27,585	SM2MD	
652		26,957 - 27,585	SM3MD	
653		26,957 - 27,585	SM4MD	
654		433,050 - 434,790	-	
655		433,050 - 434,790	SKX1MD	
656		433,050 - 434,790	SKX2MD	
657		433,050 - 434,790	SKX3MD	
658		433,050 - 434,790	SKX4MD	
659		433,050 - 434,790	Digital 211	
660		433,050 - 434,790	Digital 302 / 64176	
661		433,050 - 434,790	Digital 304 / 64133	
662		433,050 - 434,790	SKX3MD	
663		433,050 - 434,790	SKX4MD	
664		433,050 - 434,790	SKJ	
665		868,000 - 869,200	Digital 302 / 64173	ab/up from/depuis/dal/ desde Software Version 7
666		868,000 - 869,200	Digital 304 / 64037	ab/up from/depuis/dal/ desde Software Version 7
667		868,000 - 869,200	Digital 313 / 64180	ab/up from/depuis/dal/ desde Software Version 7
668	Pleidelsheim	40,660 - 40,700	T102497-40-5	
669		40,660 - 40,700	T397-40-2	
670		40,660 - 40,700	TX03-40-1/5	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmittitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>P</b>				
671	Pleidelsheim	40,660 - 40,700	TX02-40-2	
672		40,660 - 40,700	TX04-40-15	
673		40,660 - 40,700	RFKCO-40-5	
674		40,660 - 40,700	T397-40-2	
675	Portnorma	433,050 - 434,790	NEO1	
676		433,050 - 434,790	NEO2	
677		433,050 - 434,790	NEO4	



02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>R</b>				
678	Rademacher / Rator	26,957 - 27,585	27MHz	
679		40,660 - 40,700	40MHz	
680		433,050 - 434,790	4385	
681		433,050 - 434,790	4355	
682	Rauch	40,660 - 40,700	T397-40-2	
683		40,660 - 40,700	T102497-40-5	
684		40,660 - 40,700	TX03-40-1/5	
685		40,660 - 40,700	TX02-40-2	
686		40,660 - 40,700	TX04-40-15	
687		40,660 - 40,700	RFKCO-40-5	
688		40,660 - 40,700	T397-40-2	
689		40,660 - 40,700	TX03-40-1/5	
690		40,660 - 40,700	TX02-40-2	
691		40,660 - 40,700	TX04-40-15	
692		40,660 - 40,700	RFKCO-40-5	
693	RCE	29,815 - 30,950	RBL1	
694		29,815 - 30,950	RBL2	
695		29,815 - 30,950	TK1	
696		29,815 - 30,950	TK2	
697		29,815 - 30,950	TK3	
698		29,815 - 30,950	TK4	
699		29,815 - 30,950	TP1	
700		29,815 - 30,950	TP2	
701	RDA	433,050 - 434,790	IND 01	
702		433,050 - 434,790	IND 02	
703		433,050 - 434,790	IND 04	
704		433,050 - 434,790	UGZ 433	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>R</b>				
705	RDA	433,050 - 434,790	Combi 433	
706		433,050 - 434,790	TWINR	JCM
707	RESPONSE	417,900 - 418,100	-	
708	RIB	26,957 - 27,585	MOON 27	
709		29,815 - 30,950	MOON 91	
710		433,050 - 434,790	MOON 433	
711	Riedl	40,660 - 40,700	T397-40-2	
712		40,660 - 40,700	T102497-40-5	
713		40,660 - 40,700	TX03-40-1/5	
714		40,660 - 40,700	TX02-40-2	
715		40,660 - 40,700	TX04-40-15	
716		40,660 - 40,700	RFKCO-40-5	
717	roma / Silento	433,050 - 434,790	Digital-211	
718		433,050 - 434,790	Digital-212	
719		433,050 - 434,790	Digital-214	
720		433,050 - 434,790	Digital-221	
721		433,050 - 434,790	Digital-222	
722		433,050 - 434,790	Digital-224	
723		433,050 - 434,790	Digital-231	
724		868,000 - 869,200	MT87A1	ab/up from/depuis/dal/ desde Software Version 7
725		868,000 - 869,200	MT87A2	ab/up from/depuis/dal/ desde Software Version 7
726	RUKU	40,660 - 40,700	SF40 delta	
727		40,660 - 40,700	SA40 alpha	
728		433,050 - 434,790	SF433-1	
729		433,050 - 434,790	SA434 beta	
730		433,050 - 434,790	SF433-1	
731		868,000 - 869,2005	SA868-1	ab/up from/depuis/dal/ desde Software Version 7

02.02.2006

## KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

---

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmittitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>R</b>				
732	Rundum Meir	26,957 - 27,585	7121	
733		40,660 - 40,700	7221	
734		433,050 - 434,790	7520	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>S</b>				
735	Schalk	433,050 - 434,790	FSH-4	
736		433,050 - 434,790	FSH-8	
737	Schmölling	40,660 - 40,700	T102497-40-5	
738		40,660 - 40,700	T397-40-2	
739	Schneider	40,660 - 40,700	T102497-40-5	
740		40,660 - 40,700	T397-40-2	
741		40,660 - 40,700	TX03-40-1/5	
742		40,660 - 40,700	TX02-40-2	
743		40,660 - 40,700	TX04-40-15	
744		40,660 - 40,700	RFKCO-40-5	
745	Schütz	40,660 - 40,700	T102497-40-5	
746		40,660 - 40,700	T397-40-2	
747		40,660 - 40,700	TX02-40-2	
748		40,660 - 40,700	TX04-40-15	
749		40,660 - 40,700	RFKCO-40-5	
750	Schwaben	40,660 - 40,700	-	
751	SCOPE	417,900 - 418,100	-	
752	seav	29,815 - 30,950	-	
753		433,050 - 434,790	TXS1	
754		433,050 - 434,790	TXS2	
755		433,050 - 434,790	TXS3	
756		433,050 - 434,790	TXS ESA	
757		433,050 - 434,790	TXS 1	
758		433,050 - 434,790	TXS 2	
759		433,050 - 434,790	TXS 3	
760		433,050 - 434,790	TXS 4	
761		433,050 - 434,790	TXS ESA	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>S</b>				
762	seav	433,050 - 434,790	TRS 1	ab/up from/depuis/dal/ desde Software Version 7
763		433,050 - 434,790	TRS 2	ab/up from/depuis/dal/ desde Software Version 7
764		433,050 - 434,790	BeHappy S1	
765		433,050 - 434,790	BeHappy S2	
766		433,050 - 434,790	BeHappy S3	
767		433,050 - 434,790	BeHappy RS1	ab/up from/depuis/dal/ desde Software Version 7
768		433,050 - 434,790	BeHappy RS2	ab/up from/depuis/dal/ desde Software Version 7
769		433,050 - 434,790	BeHappy RS3	ab/up from/depuis/dal/ desde Software Version 7
770		433,050 - 434,790	BeEasy TX	
771		433,050 - 434,790	BeEasy TX Rolling Code	ab/up from/depuis/dal/ desde Software Version 7
772		433,050 - 434,790	BeHappy RH1	ab/up from/depuis/dal/ desde Software Version 7
773		433,050 - 434,790	BeHappy RH2	ab/up from/depuis/dal/ desde Software Version 7
774		433,050 - 434,790	BeHappy RH3	ab/up from/depuis/dal/ desde Software Version 7
775	Seculux	40,660 - 40,700	T397-40-2	
776		40,660 - 40,700	T102497-40-5	
777		40,660 - 40,700	TX03-40-1/5	
778		40,660 - 40,700	TX02-40-2	
779		40,660 - 40,700	TX04-40-15	
780		40,660 - 40,700	RFKCO-40-5	
781	Seip	26,957 - 27,585	-	
782		26,957 - 27,585	-	
783		26,957 - 27,585	27 AM	
784		40,660 - 40,700	-	
785		40,660 - 40,700	40 AM	
786		40,660 - 40,700	-	
787		40,660 - 40,700	40 FM	
788		433,050 - 434,790	-	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>S</b>				
789	Seip	433,050 - 434,790	433-12 AM	
790		433,050 - 434,790	SKR 433	
791		433,050 - 434,790	SKRJ433	
792	Selve	40,660 - 40,700	297112	
793		40,660 - 40,700	297113	
794		40,660 - 40,700	297114	
795		40,660 - 40,700	297121 Mini	
796		433,050 - 434,790	297141	
797		433,050 - 434,790	297142	
798		433,050 - 434,790	297143	
799		433,050 - 434,790	297145 Mini	
800		433,050 - 434,790	297344	
801	Serai	433,050 - 434,790	OG/52	
802		433,050 - 434,790	OG/54	
803	Siebau	433,050 - 434,790	MS43-2	
804		433,050 - 434,790	MS43-4	
805		433,050 - 434,790	MC43-2	
806		433,050 - 434,790	Multibit	
807	Silento	433,050 - 434,790	211	
808		433,050 - 434,790	212	
809		433,050 - 434,790	214	
810		433,050 - 434,790	221	
811		433,050 - 434,790	222	
812		433,050 - 434,790	224	
813		433,050 - 434,790	231	
814	smd	26,957 - 27,585	LW27HS98	
815		26,957 - 27,585	LW27/40BS4N	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>S</b>				
816	smd	26,957 - 27,585	LW40 MS3/4	
817		40,660 - 40,700	40MIU/IK)*	
818		40,660 - 40,700	40HS98K/U)*	
819		40,660 - 40,700	40MS3/4)*	
820		40,660 - 40,700	MS4099U/K)*	
821		40,660 - 40,700	-	
822		40,660 - 40,700	LW40BSS4	
823		433,050 - 434,790	LW433MIAU	
824		433,050 - 434,790	LW433MS2	
825		433,050 - 434,790	LW433HS98FU/FK	
826		433,050 - 434,790	-	
)* Rote Tasten sind nicht kompatibel / Red buttons are not compatible Les boutons rouges ne sont pas compatibles / Tasti rosso non compatibili Las teclas rojas no son compatibles				
827	Somfy/Bosch)*	433,050 - 434,790		
828		433,050 - 434,790		
)* Wechselcodesystem - kompatibel ohne Programmierung / nur Synchronisation des Antriebs erforderlich RollingCode system - compatible without HomeLink training, just synchronisation with receiver is requested Système RollingCode - compatible sans programmation, seul la synchronisation du récepteur est nécessaire Il sistema RollingCode e compatibile senza programmazione, ma la sincronizzazione e necessaria Sistema de cambio de código - compatible sin programación / solo es necesaria la sincronización del receptor				
829	Sommer	26,957 - 27,585	S-435-B	
830		26,957 - 27,585	T102497-27-5	
831		40,660 - 40,700	T102497-40-5	
832		40,660 - 40,700	T397-40-2	
833		40,660 - 40,700	TX03-40-1/5	
834		40,660 - 40,700	TX02-40-2	
835		40,660 - 40,700	TX04-40-15	
836		40,660 - 40,700	RFKCO-40-5	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>S</b>				
837	Sommer	40,660 - 40,700	S-435-40	
838		433,050 - 434,790	TX03-434-4	
839		433,050 - 434,790	TX02-434-2	
840		868,000 - 869,200	TX03-868-4	ab/up from/depuis/dal/ desde Software Version 7
841		868,000 - 869,200	TX03-8-4	ab/up from/depuis/dal/ desde Software Version 7
842	Sonico	40,660 - 40,700	T102497-40-5	
843		40,660 - 40,700	T397-40-2	
844	Standoor	433,050 - 434,790	G 4330 E	
845		433,050 - 434,790	G 4332 E	
846		433,050 - 434,790	G 4333 E	
847		433,050 - 434,790	G 4335 E	
848	Stanley	40,660 - 40,700	1083-12	
849	Steelline	868,000 - 869,200	868-4C	ab/up from/depuis/dal/ desde Software Version 7
850	Stock	40,660 - 40,700	T397-40-2	
851		40,660 - 40,700	T102497-40-5	
852	SUPEERO	26,957 - 27,585	SM1	
853		26,957 - 27,585	SM2	
854		26,957 - 27,585	SM3	
855		26,957 - 27,585	SM4	
856		26,957 - 27,585	SM1MD	
857		26,957 - 27,585	SM2MD	
858		26,957 - 27,585	SM3MD	
859		26,957 - 27,585	SM4MD	
860		26,957 - 27,585	SM1DL	
861		26,957 - 27,585	SM2DL	
862		26,957 - 27,585	SM3DL	
863		26,957 - 27,585	SM4DL	



02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>S</b>				
864	SUPEERO	40,660 - 40,700	SKLC1	
865		40,660 - 40,700	SKLC2	
866		40,660 - 40,700	SKLC3	
867		40,660 - 40,700	SKLC4	
868		433,050 - 434,790	SKX1	
869		433,050 - 434,790	SKX2	
870		433,050 - 434,790	SKX3	
871		433,050 - 434,790	SKX4	
872		433,050 - 434,790	SKX22	
873		433,050 - 434,790	SKX33	
874		433,050 - 434,790	SKX44	
875		433,050 - 434,790	SKX88	
876		433,050 - 434,790	SKX1MD	
877		433,050 - 434,790	SKX2MD	
878		433,050 - 434,790	SKX3MD	
879		433,050 - 434,790	SKX4MD	
880		433,050 - 434,790	SKX1DL	
881		433,050 - 434,790	SKX2DL	
882		433,050 - 434,790	SKX3DL	
883		433,050 - 434,790	SKX4DL	
884		433,050 - 434,790	SKX33DL	
885		433,050 - 434,790	SKX44DL	
886		433,050 - 434,790	SKX88DL	
887		433,050 - 434,790	SSKX4MD	
888		433,050 - 434,790	SSKX4DL	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>T</b>				
889	T+T	40,660 - 40,700	T102497-40-5	
890		40,660 - 40,700	T397-40-2	
891		40,660 - 40,700	TX03-40-1/5	
892		40,660 - 40,700	TX02-40-2	
893		40,660 - 40,700	TX04-40-15	
894	Teckentrup	433,050 - 434,790	Digital 212	
895		433,050 - 434,790	Digital 214	
896		433,050 - 434,790	FSH06	
897		433,050 - 434,790	FSH07	
898	Tedsen	26,957 - 27,585	SM1..	
899		26,957 - 27,585	SM2 ..	
900		26,957 - 27,585	SM3 ..	
901		26,957 - 27,585	SM4 ..	
902		433,050 - 434,790	SKX1 ..	
903		433,050 - 434,790	SKX 2 ..	
904		433,050 - 434,790	SKX3 ..	
905		433,050 - 434,790	SKX4 ..	
906		433,050 - 434,790	SKX2 ..	
907		433,050 - 434,790	SKX3 ..	
908		433,050 - 434,790	SKX4 ..	
909		433,050 - 434,790	SKX1HD	
910		433,050 - 434,790	SKX2HD	
911		433,050 - 434,790	SKX4HD	
912		433,050 - 434,790	SKX6HD	
913		433,050 - 434,790	SKX1MD	
914		433,050 - 434,790	SKX2MD	
915		433,050 - 434,790	SKX3MD	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>T</b>				
916	Tedsen	433,050 - 434,790	SKX4MD	
917		433,050 - 434,790	SKX1DL	
918		433,050 - 434,790	SKX2DL	
919		433,050 - 434,790	SKX3DL	
920		433,050 - 434,790	SKX4DL	
921		433,050 - 434,790	SKX1SL	
922		433,050 - 434,790	SKX2SL	
923		433,050 - 434,790	SKX3SL	
924		433,050 - 434,790	SKX4SL	
925		433,050 - 434,790	SKX11MD	
926		433,050 - 434,790	SKX22MD	
927		433,050 - 434,790	SKX33MD	
928		433,050 - 434,790	SKX44MD	
929		433,050 - 434,790	SKX88MD	
930		433,050 - 434,790	SKX1LC	
931		433,050 - 434,790	SKX2LC	
932		433,050 - 434,790	SKX3LC	
933		433,050 - 434,790	SKX4LC	
934		433,050 - 434,790	SKJ	
935		433,050 - 434,790	SKX1	
936		433,050 - 434,790	SKX2	
937		433,050 - 434,790	SKX3	
938		433,050 - 434,790	SKX4	
939		433,050 - 434,790	SKX22	
940		433,050 - 434,790	SKX42A,	
941		433,050 - 434,790	SKX42B	
942		433,050 - 434,790	SKX62	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>T</b>				
943	Tedsen	433,050 - 434,790	SKX82	
944		868,000 - 869,200	?	ab/up from/depuis/dal/ desde Software Version 7
945	Tekla	433,050 - 434,790	Digital 212	
946		433,050 - 434,790	Digital 214	
947		433,050 - 434,790	FSH06	
948		433,050 - 434,790	FSH07	
949	Teleco	40,660 - 40,700	131500-10	
950		40,660 - 40,700	131500-20	
951		40,660 - 40,700	131500-30	
952	Tobias	40,660 - 40,700	T397-40-2	
953		40,660 - 40,700	T102497-40-5	
954		40,660 - 40,700	TX03-40-1/5	
955		40,660 - 40,700	TX02-40-2	
956		40,660 - 40,700	TX04-40-15	
957		40,660 - 40,700	RFKCO-40-5	
958	Torbau Pleidelsheim	40,660 - 40,700	T102497-40-5	
959		40,660 - 40,700	T397-40-2	
960	Torbau Schwaben	26,957 - 27,585	SM1	
961		26,957 - 27,585	SM2	
962		26,957 - 27,585	SM3	
963		26,957 - 27,585	SM4	
964		40,660 - 40,700	BE40L	
965		40,660 - 40,700	HS2	
966		40,660 - 40,700	HS4	
967		433,050 - 434,790	SMX1	
968		433,050 - 434,790	SMX2	
969		433,050 - 434,790	SMX3	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>T</b>				
970	Torbau Schwaben	433,050 - 434,790	SMX4	
971	TorKomfort / ToKo	26,957 - 27,585	27AM	
972		40,660 - 40,700	40AM	
973		40,660 - 40,700	40FM	
974		433,050 - 434,790	SKR433	
975		433,050 - 434,790	SKRJ433	
976		433,050 - 434,790	433TS	
977	Tormatic	40,660 - 40,700	TX 41	
978		433,050 - 434,790	Multibit (1 Kanal / 1 channel)	
979		433,050 - 434,790	Multibit (4 Kanal / 4 channel)	
980		433,050 - 434,790	MS43-2	
981		433,050 - 434,790	MSC43-4	
982		433,050 - 434,790	MC43-2	
983		433,050 - 434,790	MHS 43-2	
984		433,050 - 434,790	MHS 43-4	
985		433,050 - 434,790	MCHS 43-2	
986		433,050 - 434,790	TX 43	
987	TORAG	26,957 - 27,585	S206 (1 Kanal / 1 channel)	
988		26,957 - 27,585	S206 (2 Kanal / 2 channel)	
989		26,957 - 27,585	S206 (4 Kanal / 4 channel)	
990		26,957 - 27,585	S215 (1 Kanal / 1 channel)	
991		26,957 - 27,585	S215 (2 Kanal / 2 channel)	
992		26,957 - 27,585	S235	
993		40,660 - 40,700	S406 (1 Kanal / 1 channel)	
994		40,660 - 40,700	S406 (2 Kanal / 2 channel)	
995		40,660 - 40,700	S406 (4 Kanal / 4 channel)	
996		40,660 - 40,700	S415 (1 Kanal / 1 channel)	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>T</b>				
997	TOR AG	40,660 - 40,700	S415 (2 Kanal / 2 channel)	
998		40,660 - 40,700	S435	
999		40,660 - 40,700	TX 41	
1000		433,050 - 434,790	93121500	
1001		433,050 - 434,790	TX 43	
1002	Tousek	40,660 - 40,700	(BT40) 131500-10	
1003		40,660 - 40,700	(BT40) 131500-20	
1004		40,660 - 40,700	(BT40) 131500-30	
1005	Traders	26,957 - 27,585	-	
1006		40,660 - 40,700	1K FM HS FHS	
1007		433,050 - 434,790	G4330E	
1008		433,050 - 434,790	G4332E	
1009		433,050 - 434,790	G4333E	
1010		433,050 - 434,790	G4335E	
1011	Tubauto	26,957 - 27,585	DH 01	
1012		26,957 - 27,585	DH 02	
1013		26,957 - 27,585	DH 03	
1014		26,957 - 27,585	DH 04	
1015		40,660 - 40,700	EcoStar 2	
1016		40,660 - 40,700	EcoStar 4	
1017		40,660 - 40,700	HS2	
1018		40,660 - 40,700	HS4	
1019		40,660 - 40,700	HSM2	
1020		40,660 - 40,700	HSM4	
1021		40,660 - 40,700	HSE2	
1022		40,660 - 40,700	HS16	
1023		40,660 - 40,700	FCT10	

02.02.2006

## KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

---

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmittitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>T</b>				
1024	Tubauto	433,050 - 434,790	RSE2	
1025		433,050 - 434,790	RS2	
1026		433,050 - 434,790	RS4	
1027		433,050 - 434,790	RSM2	
1028		433,050 - 434,790	RSM4	

02.02.2006

## KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

---

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmittitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>U</b>				
1029	Universal	433,050 - 434,790	-	



02.02.2006

## KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmittitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>V</b>				
1030	V2	433,050 - 434,790	TSC2	
1031		433,050 - 434,790	TSC4	
1032		433,050 - 434,790	TSR2	
1033		433,050 - 434,790	TSR4	
1034	Vanhalme	40,660 - 40,700	MAC B 401	
1035		40,660 - 40,700	MAC B 402	
1036		40,660 - 40,700	MAC B 404	

02.02.2006

KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmettitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>W</b>				
1037	Weller	40,660 - 40,700	-	
1038		868,000 - 869,200	MT87A1	ab/up from/depuis/dal/ desde Software Version 7
1039		868,000 - 869,200	MT87A2	ab/up from/depuis/dal/ desde Software Version 7
1040	WESSEX	417,900 - 418,100	-	
1041	Wickes	417,900 - 418,100	-	
1042		433,050 - 434,790	200087	
1043		433,050 - 434,790	G 4335 E	
1044	Wotan	26,957 - 27,585	G750E	
1045		26,957 - 27,585	G752E	
1046		26,957 - 27,585	G754E	
1047		26,957 - 27,585	11	
1048		433,050 - 434,790	G4330E	
1049		433,050 - 434,790	G4333E	
1050		433,050 - 434,790	G4335E	
1051		433,050 - 434,790	11-1B	
1052		433,050 - 434,790	11-2B	
1053		433,050 - 434,790	11-3B	

02.02.2006

## KOMPATIBILITÄTSLISTE / COMPATIBILITY LIST / LISTE DE COMPATIBILITÉ / LISTA DE COMPATIBILIDAD

D	Hersteller	Frequenzband (Mhz)	Handsenderbezeichnung	Bemerkung
UK	Company	Frequency range (Mhz)	Transmitter Type	Notes
F	Fabricant	Bande de frequence (Mhz)	Type d'emeteur	Remarques
I	Fabbricante	Banda di frequenza (Mhz)	Trasmittitore	Note
ES	Fabricante	Banda de frecuencia (Mhz)	Nombre del emisor manual	Observaciones
<b>Z</b>				
1054	Zweygart	40,660 - 40,700	T102497-40-5	
1055		40,660 - 40,700	T397-40-2	
1056		40,660 - 40,700	TX03-40-1/5	
1057		40,660 - 40,700	TX02-40-2	
1058		40,660 - 40,700	TX04-40-15	
1059		40,660 - 40,700	RFKCO-40-5	